


- NOTES:
- 1) CONSTRUCTED OF 1.0" O.D. CHROME PLATED STEEL TUBING.
 - 2) 2-3/8" NON-MARRING SWIVEL CASTERS.
 - 3) 16 BASKETBALL STORAGE CAPACITY.



REVISION		
REV.	DATE	BY
A	06-09-20	WDC




Gared Holdings, LLC
9200 E. 146th St. Noblesville, IN 46060

THIS DOCUMENT CONTAINS TRADE SECRET AND OTHER MATERIALS WHICH ARE PROTECTED BY CONFIDENTIALITY NOTICE AND AGREEMENT AND BY COPYRIGHT. ANY USE OR COPYING OF THIS DOCUMENT EXCEPT AS AUTHORIZED BY GARED HOLDINGS, LLC IS STRICTLY PROHIBITED.

BALL RACK

DRAWN RWP	DATE 06/19/05	MATERIAL N/A
APPROVED CONNERLEY	DATE 06/20/08	FINISH N/A
FILE LOC. Q:\Final Release\Specifications		DWG. NO. BR16
SIZE A	SCALE NOTED	SHT. NO. 1 OF 1
BR-16		REV A



MODEL BR-16

BALL RACK – 16 BALL CAPACITY

Ball rack shall be constructed of 1.0" [25.4 mm] O.D. x 18 gauge (0.049") [1.25 mm] wall steel tubing. Tubing shall be chrome plated to provide a bright appearance and protection from rust. Ball rack shall be equipped with four non-marking swivel casters for use on hardwood or synthetic floors.

Capacity of the rack shall be 16 standard size basketballs.

Overall size shall be 51 ¾" [1295 mm] H x 14" [356 mm] W x 41" [1041 mm] L

Subject to design change and current manufacturing practices.
Revised April 4, 2008 ©2008 Gared Holdings, LLC